PPE Regulation (EU) 2016/425 Annex IX

Declaration of Conformity

The manufacturer or his authorized representative established in the Community:

Guangdong J&Y Industrial Co., Ltd. No.285 Juhuashi Rd, Huashan Town, Huadu District, Guangzhou, China, P.C:510880

declares that the new PPE described hereafter: -

EN352-1:2020 Hearing Protector – General requirement – Ear-Muffs

| Model/ ID | Description | | |
|-----------------|--|--|--|
| EM-5001A | Over-the-head type headband earmuffs with ABS cups and foam filled cushions. Size:S,M,L. SNR=32 dB | | |
| EM-5001B | Earmuff,over-the-head type plastic cups with foam liner and foam filled cushion,folding headband,Size:S,M,L. SNR=32 dB | | |
| EM-5002 | Ear defenders consisting of a headband with two ABS plastic ear cups. Each cup houses PU foam and cushion. SNR=33 dB | | |
| EM-5002A | Ear-muff,over-the-head type,ABS cups with foam liner and foam filled cushion,metal headband with PU cover.Size S,M,L.SNR 34 dB | | |
| EM-5002B | Ear-muff,over-the-head type,ABS cups with foam liner and foam filled cushion,folding headband. Size S,M.L.SNR=33 dB | | |
| EM-5002C | Ear-muff,behind-the-head type,plastic cups with foam liner and foam filled cushion,metal neckband. Size S,M.L.SNR=31 dB | | |
| EM-5003 | Ear-muff,over-the-head type,economic style,plastic cups with foam liner and foam filled cushion, plastic headband,Size:S,M,L SNR=29 dB | | |
| EM-5005 | Ear-muff,over-the-head type,mini style,plastic cups with foam liner and foam filled cushion,folding headband,SNR=26 dB | | |
| EM-5006 | Over-the-head headband earmuff with ABS cups with foam filled PU cushions. SNR=32dB | | |
| EM-5007 | Ear-muff,over-the-head type,BDS style,plastic cups with foam liner and foam filled cushion,padded headband,Size:S,M,L SNR=34 dB | | |
| EM-5007B | Ear-muff,over-the-head type,BDS style,plastic cups with foam liner and foam filled cushion,folding headband,SNR=33 dB | | |
| EM-5008 | Earmuffs consisting of a headband with two PP plastic ear cups. Each cup houses PU foam and cushion, Size:S,M,L, SNR=29dB | | |
| EM-7001 | Earmuffs consisting of a headband with two ABS ear cups. Each cup | | |
| EM-7001L | house PU foam and cushion.Size:S,M,L. SNR= 31dB(EM-7001)/35dB(EM-7001L) | | |
| EM-7002(Closed) | Earmuffs consisting of a headband with two ABS ear cups. Each cup house PU foam and cushion. Earmuffs offer two different attenuation | | |
| EM-7002(Open) | levels, depending on whether they are in the open or closed position. Size:S,M,L. SNR= 25dB(open position) or 35dB(closed position) | | |
| FM-1 | Ear-muff,over-the-head type,plastic cups with foam liner and foam filled cushion,plastic headband,Size:S,M,L SNR =31 dB | | |
| FM-1A | Ear-muff,over-the-head type,plastic cups with foam liner and foam filled cushion,Size:S,M,L SNR= 31dB | | |
| FM-1B | Ear-muff,over-the-head type,plastic cups with foam liner and foam filled cushion,Size:S.M,L SNR= 31dB | | |
| FM-1C | Ear-muff,behind-the-head type,plastic cups with foam liner and foam filled cushion,metal neckband,Size:S,M,L SNR=30 dB | | |
| FM-2 | Ear-muff,over-the-head type,plastic cups with foam liner and foam | | |

| | filled cushion, plastic headband, Size: S, M, L SNR=33 dB | | |
|---------|--|--|--|
| FM-3 | Ear-muff,over-the-head type,plastic cups with foam liner and foam | | |
| | filled cushion, plastic headband, Size: S, M, L SNR=34 dB | | |
| EM-5005 | Ear-muff,over-the-head type,mini style, plastic cups with foam liner | | |
| | and foam filled cushion, folding headband, SNR=26 dB | | |
| KM-2 | Ear-muff,over-the-head type,mini style, plastic cups with foam liner | | |
| | and foam filled cushion, folding headband, SNR=27 dB | | |
| KM-3 | Ear-muff,over-the-head type,mini style,plastic cups with foam liner | | |
| | and foam filled cushion, plastic headband,SNR=26 dB | | |
| KM-5 | Ear-muff,over-the-head type,mini style,plastic cups with foam liner | | |
| | and foam filled cushion, folding headband, SNR=24 dB | | |

EN352-3:2020 Hearing Protector – General requirement – Ear-Muffs attached to an industrial safety helmet

| Model/ ID | Description | | |
|------------|--|--|--|
| EM-5001E | Earmuff, helmet-mounted type, plastic cups with foam liner and foam filled cushion, cup supporting arms, attached to industrial helmet model MSA Vgard, Size:S,M,L.SNR =30 dB | | |
| EM-5002D | Ear-muff,helmet-mounted type,plastic cups with foam liner and foam filled cushion,plastic and steel cup supporting arms,attached to industrial helmet model:MSA Vgard.SNR=30 dB | | |
| EM-5003D | Helmet mounted ear defenders consisting of an adapter for attachment to the helmet and an ABS plastic ear cup. Each cup houses PU foam and cushion. These ear-muffs should be fitted to, and used only with the industrial safety helmet MSA V-gard. SNR=27 dB | | |
| EM-5007E | Ear-muff,helmet-mounted type,BDS style,plastic cups with foam liner and foam filled cushion,plastic cup supporting arms,attached to industrial helmet model: MSA Vgard, SNR=30 dB | | |
| FM-1D | Ear-muff,helmet-mounted type,plastic cups with foam liner and foam filled cushion,plastic and steel cup supporting arms,attached to industrial helmet model:MSA Vgard,SNR=28 dB | | |
| FM-2E | Cap-mounted earmuffs with ABS cups with foam liner and foam filled, PU covered cushions, which should be attached to MSA V-Gard safety cap. SNR=30 dB | | |
| FM-3E | Cap-mounted earmuffs with ABS cups with foam liner and foam filled, PU covered cushions, which should be attached to MSA V-Gard safety cap. SNR=32 dB | | |
| EM-7001L-D | Cap-mounted earmuffs designed to be attached to MSA V-Gard safety helmet. It features ABS cups, a foam liner, and foam-filled PU covered cushions. The earmuffs are help to the helmet by a steel wire cup supporting arm. SNR=34dB | | |

EN352-1:2020, EN352-4: 2020, EN352-6: 2020, EN352-8: 2020, Hearing Protector – Electronic Earmuffs with blue-tooth

| EM-9001M | Electronic ear defenders with Bluetooth consisting of headband with 2 | |
|----------|---|--|
| | ABS cups with PU foam cushions, SNR=29dB | |

EN352-1:2020, EN352-6: 2020, EN352-8: 2020, Hearing Protector – Electronic Earmuffs with blue-tooth

| EM-9001B | Electronic ear defenders with Bluetooth consisting of headband with 2 ABS cups with PU foam cushions, SNR=29dB |
|----------|--|
| EM-9005 | Electronic Headband earmuffs with AUX input, Bluetooth & FM/AM radio. SNR=26dB |

EN352-3:2020, EN352-6:2020, EN352-8:2020, Hearing Protector – Ear-Muffs with blue-tooth attached to an industrial safety helmet

| EM-9001B-E | Electronic ear defenders with Bluetooth consisting of two ABS plastic |
|------------|---|
| | ear cups to be used in combination with a MSA Vgard safety helmet. |
| | Each cup houses a PU foam cushion covered in PVC, SNR=26dB |

EN352-1:2020, EN352-4:2020, EN352-6:2020, Hearing Protector – General requirement – Electronic Earmuffs

| EM-9003 | Electronic Headband earmuffs with passive protection, sound compression and AUX input, SNR=29dB | |
|----------|---|--|
| EM-9001C | Electronic ear defenders without Bluetooth consisting of headband with 2 ABS cups with PU foam cushions, SNR=28dB | |

EN352-2:2020 Hearing Protector – General requirement – Ear-Plugs

| Model/ ID | Description | | |
|--------------|--|--|--|
| EC-1001A | Disposable PU foam tapered uncorded ear plugs sizing 5-11 mm, SNR=38 dB | | |
| EC-1001A-C | Disposable PU foam tapered corded ear plugs sizing 5-11 mm, SNR=38 dB | | |
| EC-1001A-C-D | Disposable PU foam tapered Metal detectable PVC/Brass corded ear plugs sizing 5-11 mm, SNR=38 dB | | |
| EC-1003A | Disposable PU foam tapered uncorded ear plugs sizing 5-10 mm, SNR=37 dB | | |
| EC-1003A-C | Disposable PU foam tapered corded ear plugs sizing 5-10 mm, SNR=37 dB | | |
| EC-1003A-C-D | Disposable PU foam tapered Metal detectable PVC/ Brass corded ear plugs, 5-10 mm, SNR=37 dB | | |
| EC-1007A | Disposable PU foam T-shape uncorded ear plugs sizing 5-10 mm, SNR=36 dB | | |
| EC-1007A-C | Disposable PU foam T-shape corded ear plugs sizing 5-10 mm, SNR=36 dB | | |
| EC-1007A-C-D | Disposable PU foam T-shape Metal detectable PVC/Brass corded ear plugs, 5-10 mm, SNR=36 dB | | |
| EC-1001AS | PU foam earplugs. Nominal diameter 6-11mm, SNR=34 dB | | |
| EC-1001AS-C | PU foam earplugs with connecting cord. Nominal diameter 6-11mm, SNR=34 dB | | |
| EC-1005AS | PU foam earplugs. Nominal diameter 6-12mm +/- 1mm, SNR=34 dB | | |
| EC-1005AS-C | PU foam earplugs with connecting cord. Nominal diameter 6-12mm +/-1mm, SNR=34 dB | | |
| EC-1005A | Ear-plug, disposable, PU foam, tapered, nominal diameter 6/15mm, SNR=35 dB | | |
| EC-1005A-C | Ear-plug, disposable, PU foam, tapered, corded, nominal diameter 6/15mm, SNR=35 dB | | |
| EC-1006A | Ear-plug, disposable, PU foam, tapered, nominal diameter 6/12mm, SNR=35 dB | | |
| EC-1006A-C | Ear-plug, disposable, PU foam, tapered, corded, nominal diameter 6/12mm, SNR=35 dB | | |
| EC- 2001 | Uncorded Silicone re-usable earplug 8-12 mm, SNR=32 dB | | |
| EC-2001C | Corded Silicone re-usable earplug 8-12 mm, SNR=32 dB | | |
| EC-2001C-D | Metal Detectable Corded Silicone re-usable earplug 8-12 mm, SNR=32 dB | | |
| EC-2014 | Re-usable silicon ear-plug,triple flange tapered, nominal diameter 10/14 mm, SNR=31 dB | | |

| EC-2014C | Re-usable silicon ear-plug, triple flange tapered, corded, nominal diameter 10/14 mm, SNR =31dB | | |
|------------|--|--|--|
| EC-2001S | Silicone triple flange earplug, SNR=28 dB | | |
| EC-2001S-C | Silicone triple flange earplug with connecting cord, Nominal diameter 6-9mm, SNR=28 dB | | |
| EC-2003 | Uncorded Silicone re-usable earplug, nominal diameter 8-10 mm, SNR=26 dB | | |
| EC-2003C | Corded Silicone re-usable earplug, nominal diameter 8-10 mm, SNR = 26 dB | | |
| EC-2010L | Ear-plug, re-usable, 8-10 mm (Medium) Silicon balloon shape, SNR=30 dB | | |
| EC-2010S | Ear-plug, re-usable, 7-9 mm (Small) Silicon balloon shape, SNR = 30 dB | | |
| EC-2016 | Earplug mouldable Silicone (15-20mm) cylinder type, reusable, washable, SNR = 28 dB | | |
| EC-2011P | Silicone flanged earplugs, SNR=33 dB | | |
| E-2011P-C | Silicone flanged earplugs with connecting cord, Nominal diameter 8-13mm, SNR=33 dB | | |
| EC-2018 | Silicone triple flange reusable earplug. Nominal diameter 7-12mm, SNR=33 dB | | |
| EC-2018C | Silicone triple flange reusable earplug with connecting cord. Nominal diameter 7-12mm, SNR=33 dB | | |
| EC-2018C-D | Silicone triple flange reusable earplug with connecting cord metal detectable. Nominal diameter 7-12mm, SNR=33 dB | | |
| EC-2065 | TPE triple flange reusable earplug. Nominal diameter 8-12mm, SNR=34dB | | |
| EC-2065C | TPE triple flange reusable earplug with connecting cord. Nominal diameter 8-12mm, SNR=34dB | | |
| EC-2065C-D | TPE triple flange reusable earplug with connecting cord metal detectable. Nominal diameter 8-12mm, SNR=34dB | | |
| EC-3003 | Re-usable triple-flanged silicone earplugs. Nominal diameter 7-11mm, SNR=27 dB | | |
| EC-3001A | Re-usable quadruple-flanged silicone earplugs with PVC insert pin. Nominal diameter: 8-12mm Colour: Blue, SNR=27dB | | |
| EC-2061 | Reusable, Triple flange TPE earplug with a nominal diameter of 8- 12mm, SNR=27 dB | | |
| EC-2061C | Reusable, Corded, Triple flange TPE earplug with a nominal diameter of 8-12mm, SNR=27 dB | | |
| EC-2061C-D | Reusable, Corded, Metal detectable, Triple flange TPE earplug with a nominal diameter of 8-12mm, SNR=27 dB | | |
| EC-2062 | Reusable, Triple flange TPE earplug with a nominal diameter of 8-12mm, SNR=32 dB | | |
| EC-2062C | Reusable, Corded, Triple flange TPE earplug with a nominal diameter of 8-12mm, SNR=32 dB | | |
| EC-2062C-D | Reusable, Corded, Metal detectable, Triple flange TPE earplug with a nominal diameter of 8-12mm, SNR=32 dB | | |
| EC-2063 | Reusable, Four flange TPE earplug with a nominal diameter of 8-12mm, SNR=32 dB | | |
| EC-2063C | Reusable, Corded, Four flange TPE earplug with a nominal diameter of 8-12mm, SNR=32 dB | | |
| EC-2063C-D | Reusable, Corded, Metal detectable, Four flange TPE earplug with a nominal diameter of 8-12mm, SNR=32 dB | | |
| EC4101 | Banded silicon earplug, under-the-chin type, Silicon tip with PP band, nominal diameter 10/14mm, SNR=30 dB | | |
| EC4102 | Banded earplug, under-the-chin type, PU foam tip with PP band, nominal diameter 12/17mm, SNR=29 dB | | |
| EC-4103 | Banded earplug, under-the-chin type, PU foam tip with PP band, | | |
| | | | |

| | nominal diameter 11/18mm, SNR=27 dB | |
|---------|---|--|
| EC-4109 | Banded earplug (foldable), under-the-chin type, PU foam tip with PP | |
| | band, nominal diameter 8/18mm, taper shape design, SNR=27dB | |

Are in conformance with the provisions of Regulation (EU) 2016/425 and, where such is the case, with the harmonized standard EN 352-1/ EN 352-2 / EN 352-3/ EN 352-6 / EN 352-8 is identical to the PPE which is the subject of EU Type Examination Certificate No.:

| | | 2777/13339/XX/E00-00 |
|------------------------|--------------------------|----------------------|
| 2777/13057/XX/E00-00 | 2777/13327/XX/E00-00 | 2777/14738/XX/E00-00 |
| 2777/13058/XX/E00-00 | 2777/13328/XX/E00-00 | |
| | | 2777/17558-XX/E00-00 |
| 2777/13060/XX/E00-00 | 2777/13329/XX/E00-00 | 2777/20198-XX/E00-00 |
| 2777/13061/XX/E00-00 | 2777/13330/XX/E00-00 | • |
| 2777/13062/XX/E00-00 | 2777/13331/XX/E00-00 | 2777/20199-XX/E00-00 |
| | | 2777120477-XX/E00-00 |
| 2777/13063/XX/E00-00 | 2777/13332/XX/E00-00 | 2777/24186-XX/E00-00 |
| 2777/13064/XX/E00-00 | 2777/13333/XX/E00-00 | • |
| 2777/13075/XX/E00-00 | 2777/13334/XX/E00-00 | 2777/20477-XX/E00-00 |
| | | 2777/24186-XX/E00-00 |
| 2777/13076/XX/E00-00 | 2777/13335/XX/E00-00 | • |
| 2777/13326/XX/E00-00 | 2777/13338/XX/E00-00 | 2777/13075-XX/E00-00 |
| 27777 13320/704/200 00 | 27777 133330/700/ 130 00 | |

as issued by:

SATRA Technology Europe Ltd

Bracetown Business Park, Clonee, Dublin, D15 YN2P, Ireland

Notified Body No.: 2777

As a Category III PPE, the product is subject to the procedures as set out in Module D-Conformity to type based on quality assurance of the production process and is under the surveillance of

SATRA Technology Europe Ltd Bracetown Business Park, Clonee, Dublin, D15 YN2P, Ireland Notified Body No.: 2777

Done at: - Guangzhou, on Sept. 06, 2024 Signed for and on penalf of

Name: Kaly Lu

Position: Export Manager

GuangDong J&Y Industrial Co.,Ltd